Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Original) A precious metal-based amorphous alloy having a Pt-Cu-P based structure, wherein said alloy comprising in atomic %, 50≤Pt≤75%, 5≤Cu≤35%, and 15≤P≤25%.
- 2. (Currently Amended) A precious metal-based amorphous alloy having consisting essentially of a Pt-Pd-Cu-P based structure, wherein said alloy comprising in atomic %, 5<Pt<70%, 5<Pd<50%, 5<Cu<50%, and 5<P<30%.
- 3. (Original) The precious metal-based amorphous alloy according to claim 1, wherein said alloy is obtained through solidifying the amorphous alloy in a molten state at a cooling rate of 10^{-1} to 10^{2} °C/sec.
- 4. (Original) The precious metal-based amorphous alloy according to claim 2, wherein said alloy is obtained through solidifying the amorphous alloy in a molten state at a cooling rate of 10¹ to 10² °C/sec.

)